



PASS & SEYMOUR®
Harmony™ Tru-Universal Dimmer
 Incandescent, Halogen, ELV, MLV, LED, CFL, EFL

H703PTUTC

A simple dimming solution for you and your customers

Harmony™ Tru-Universal Dimmers do something today's dimmers don't: **they simply work** – with every lamp, every load, and every fixture on typical residential and light commercial wiring.

Once a user selects the lamp type, the dimmer's self-calibrating technology automatically sets the minimum voltage of that lamp. That means no more flickering lights, no more frustrated customers and no more unnecessary callbacks. And because it's the one product in the category that lives up to its universal name, it dramatically reduces the number of SKUs as well.

Ideal for residential and light commercial applications, the Harmony Tru-Universal Dimmer is the simple solution to all your customers' dimming challenges.



FEATURES & BENEFITS

Self Calibration feature allows users to select lamp type, which then automatically sets the minimum voltage for that lamp, eliminating flickering and poor performance.

Works with every lamp and load on typical residential and light commercial wiring.


Convenient operation combines On/Off Decorator switch with separate slider for dimming control.

Preset, Single Pole and 3-Way operation.

Green LED glows when off to make dimmer easy to find in the dark.

Sleek, ergonomic design that matches today's styles

Wider slide controller for easier dimming operation.



H703PTUTC

FIELD USES / VERTICAL MARKETS

- Residential
- Health Care
- Education
- Light Commercial
- Retail/Office
- Hospitality/Lodging



PASS & SEYMOUR®
Harmony™ Tru-Universal Dimmer
Incandescent, Halogen, ELV, MLV, LED, CFL, EFL

ORDERING INFORMATION

Catalog Number	Description	Color	Voltage	Rating
Harmony™ Tru-Universal Dimmer				
H703PTUTC*	Preset, Single Pole and 3-Way	Three interchangeable Face Colors: Ivory, White, Light Almond	120 VAC, 60Hz	Incandescent, Halogen & ELV: 700W, MLV: 50VA, LED/CFL: 450W, EFL: 5.5A
HKIT	Interchangeable Face	Brown		
HKITBK	Interchangeable Face	Black		
HKITGRY	Interchangeable Face	Gray		
HKITI	Interchangeable Face	Ivory		
HKITLA	Interchangeable Face	Light Almond		
HKITNI	Interchangeable Face	Nickel		
HKITTI	Interchangeable Face	Titanium		
HKITW	Interchangeable Face	White		
HKITAB	Interchangeable Face	Antique Brass		

* Available in VisionPak™ packaging. Add "CCV6" to catalog Number. Example: H703PTUTCCCV6
All devices are cULus Listed.

For more information on these and other P&S products refer to our Catalog or visit our web site.

PASS & SEYMOUR®
Harmony™ Tru-Universal Dimmer
Incandescent, Halogen, ELV, MLV, LED, CFL, EFL



TECHNICAL SPECIFICATIONS

3rd Party Compliance

cULus Listed, UL1472, CSA-C22.2 No. 184.1-95.
Conforms to NEMA WD-1 and WD-6, California Title 24 Compliant.



Performance

Electrical


Supply Voltage	120 VAC
Maximum Rated Load	Incandescent, Halogen & ELV: 700W, MLV: 500VA, LED/CFL: 450W, EFL: 5.5A
Frequency	60 Hz
Phase Control	Forward or Reverse
Installation	Single Pole or 3-Way

Environment

Application	Indoor Use Only
-------------	-----------------

Mechanical

Enclosure Material	Polycarbonate Lexan
--------------------	---------------------




H703PTUTC

Warranty


5 Years

COMPLEMENTARY DEVICES & ACCESSORIES




PLUGTAIL™ DEVICES

- Extra Heavy-Duty Spec Grade
- Extra Heavy-Duty Hospital Grade
- Extra Heavy-Duty Tamper-Resistant



STRAIGHT BLADE RECEPTACLES

- Extra Heavy-Duty
- Heavy-Duty
- Hard Use
- Construction Grade
- Construction Grade Leaded
- Commercial Grade



DECORATOR DEVICES

- Construction Grade Switches
- Specification Grade Combo Switches
- Construction Grade Receptacles
- Commercial Grade Receptacles
- Specification Grade Hallway Lights



SWITCHES

- Heavy-Duty Toggle
- Heavy-Duty Lighted Toggle
- Heavy-Duty Security
- Heavy-Duty Locking
- Construction Grade Toggle
- Commercial Grade Toggle



GFCIs

- Specification Grade



WALL PLATES

- TradeMaster® Thermoplastic Nylon
- Screwless Polycarbonate
- Stainless Steel
- Brass
- Aluminum
- Dustproof Stainless Steel Covers

ALSO AVAILABLE...

- | | | | |
|--|--------------------------------------|-------------------------------|-------------------------------|
| ■ Hospital Grade Devices | ■ Ground Continuity Monitoring (GCM) | ■ Turnlok® Locking Devices | ■ IEC 309 Industrial Products |
| ■ Surge Protective & Isolated Ground Devices | ■ Straight Blade Plugs & Connector | ■ Weatherproof Boxes & Covers | ■ Flexcor® Wire Mesh Grips |
| ■ Bulk Solutions | ■ USB Charging Devices | | |



Electrical Wiring Systems
 P.O. Box 4822
 Syracuse, NY 13221-4822
 Phone: 1.877.BY.LEGRAND (295-3472)
www.legrand.us
 570 Applewood Crescent
 Vaughan, Ontario L4K 4B4
 Phone: 905.738.9195
www.legrand.ca

